




BEARING DRIVESHAFT, INC.

40 mm x 80 mm x 18 mm KOYO 7208B angular contact ball bearings

Bearing No. 7208B



7208B Bearing 2D drawings and 3D CAD models

| | |
|----------------------------|-------------------------------|
| Size | 40x80x18 mm |
| Bore Diameter | 40 mm |
| Outer Diameter | 80 mm |
| Width | 18 mm |
| d | 40 mm |
| D | 80 mm |
| B | 18 mm |
| C | 18 mm |
| Angle (°) | 40 ° |
| a | 34.2 mm |
| r min. | 1.1 mm |
| r1 min. | 0.6 mm |
| da min. | 47 mm |
| Da max. | 73 mm |
| ra max. | 1 mm |
| Weight | 0.382 Kg |
| (Grease) Lubrication Speed | 7500 r/min |
| Category | Angular Contact Ball Bearings |
| Inventory | 0.0 |
| Manufacturer Name | KOYO |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0 |
| EAN | 0605790367939 |
| Product Group | B00308 |
| Enclosure | Open |



BEARING DRIVESHAFT, INC.

| | |
|---------------------------------|--|
| Flush Ground | No |
| Rolling Element | Ball Bearing |
| Number of Rows of Balls | Single Row |
| Precision Class | ABEC 1 ISO P0 |
| Maximum Capacity / Filling Slot | No |
| Snap Ring | No |
| Cage Material | Steel |
| Contact Angle | 40 Degree |
| Internal Clearance | C0-Medium |
| Number of Bearings | 1 (Single) |
| Inch - Metric | Metric |
| Long Description | 40MM Bore; 80MM Outside Diameter; 18MM Width; Open; No Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Steel Cage; 40 Degree; 1 (Single) |
| Category | Angular Contact Ball Bearing |
| UNSPSC | 31171531 |
| Harmonized Tariff Code | 8482.10.50.28 |
| Noun | Bearing |
| Keyword String | Angular Contact |
| Manufacturer URL | http://www.koyousa.com |
| Width | 0.709 Inch 18 Millimeter |
| Outside Diameter | 3.15 Inch 80 Millimeter |
| Bore | 1.575 Inch 40 Millimeter |
| Bearing No. | 7208B |
| r(min) | 1.1 |
| r1(min) | 0.6 |
| Cr | 40.2 |
| C0r | 23.0 |



BEARING DRIVESHAFT, INC.

| | |
|-------------------|---------|
| Cu | 1.40 |
| f0 | - |
| Grease lub. | 6000 |
| Oil lub. | 8000 |
| a | 34.2 mm |
| da(min) | 47 |
| Da(max) | 73 |
| ra(max) | 1 |
| (Refer.) Mass(kg) | 0.382 |